



# GMax™ II ProContractor

Top of the line Petrol-Powered Airless Sprayers



## WORK SMARTER THANKS TO THE LATEST INNOVATIONS

- Keep the sprayer on the job site and out of the shop! The ProConnect<sup>2</sup> pump installation and removal system allows you to change the pump in seconds.
- Monitor the performance of your investment more easily – the LED display is bright and easy to read.
- Comfortable and time saving, the QuikReel™ hose reel allows you to save time and money.

Heavy Duty Applications

GMAX™ II 3900 PROCONTRACTOR - GMAX™ II 5900 HD PROCONTRACTOR - GMAX™ II 7900 HD PROCONTRACTOR



# GMax™ II ProContractor

Petrol-Powered Airless Sprayers

It's for **YOU**, the smart professional, that Graco keeps reinventing spray equipment technology. Because we know you're looking for the latest innovations to help you finish jobs faster, and with less fuss and fatigue.

The **ProContractor Series** of our GMax II range include top of the line innovations, for top of the line professionals that aren't satisfied with "just" high quality technology, but demand more.

## Choose the right unit...

The GMax II range is ideally suited for high production professional contractors who demand uninterrupted performance with freedom from electric power.

The GMAX II 3900 (120 cc) is the perfect sprayer for the professional paint jobs on new residential construction job sites.

The GMAX II 5900 is a step up from that. With its 160 cc Honda engine, it delivers the output you required for larger commercial paint projects.

Along with its high performance 200 cc Honda engine, the GMAX II 7900 HD is equipped with a heavy duty pump, and as such can easily spray all thicker coatings as well as the whole range of primers and paints.

## ... and go for the ProContractor Series for ultimate comfort and luxury!

Have a look at the latest innovative features we've added to the ProContractor Series of the GMAX II range.

This is what distinguishes you from other professionals. This is where you save time and money. This is where you stand out.



**QuikReel™**

### QuikReel™ Integrated Hose Reel

Work more comfortably and more efficiently. Roll out and up in a few seconds up to 90m hose - spray in a range of 180m without moving the unit, and get in, out and on to the next job site faster!



**PRO CONNECT<sup>2</sup>**

### ProConnect<sup>2</sup>

Keep the sprayer on the job site and out of the shop! The ProConnect<sup>2</sup> pump installation and removal system allows you to change the pump in seconds, saving valuable time.

**SMARTCONTROL™**

### SmartControl™ 3.0 with LED display

Protect and monitor your investment more easily, with the bright and easy to read LED display that shows the job/lifetime/liter counter and the self diagnostics provided by the new and improved "brains" of the unit - the SmartControl 3.0.



**FastFlush™**

Save time cleaning your unit! The FastFlush pump cleaning system cleans the unit up to four times faster using only half the water.




**FastFlush.**

## Materials & Applications

The GMAX II PROCONTRACTOR series are ideal units to spray a full range of coatings on residential, commercial and industrial jobs.

Spray acrylics, primers, emulsions, waterborne and solvent based paints with the 3900 and 5900, or move up to the 7900 HD version and be able to handle most common anti-corrosive and fire retardant paints and airless plasters as well!



Watch our  
**application videos** at:  
<http://21.graco.eu.com>







All units  
equipped with  
30 METER  
hose



#### On-Board Toolbox

Convenient storage container keeps tools, tips, filters and accessories where you need them most.

#### Endurance™ Pump

Graco's proven and reliable piston pump technology with LongLife-V packings. QuickAccess™ intake valve to easily clean or clear debris. Spring loaded for better pump efficiency.

## GOOD TO KNOW

### EXTEND YOUR SPRAYING AUTONOMY

When used with a hopper or container suction kit, you can work for longer periods of time before refilling. Use for overnight storage or to transport your material. You will save energy, time and money.



### ! TIP

### ALWAYS BEGIN WORKING AT LOW MATERIAL PRESSURE.

Slowly raise the pressure, but only to the minimum pressure required for a successful application. Using too much pressure can cause pack-out due to aggregated materials or dirt.

For improved pump performance when spraying paint with the GMAX II 7900 HD unit, replace the ceramic ball in the lower pump with the SST ball (delivered free with the unit).

## WatchDog™ Pump Protection System

The WatchDog Pump Protection System automatically shuts down the pump when paint runs out or if the hose is damaged.

- Prevents dry pumping damage



[www.graco.com](http://www.graco.com)





# GMax II ProContractor Accessories

Get the most out of your equipment, using our professional accessories

## Improve your finishing quality



### Guns

- 262114 Contractor™ Airless gun, RAC X™ guard, no tip
- 289605 TexSpray™ blue gun with RAC X guard and RAC X 531 tip
- 245820 Inline™ 4-finger Plaster gun, 280 bar

### Tips, Guards and Air Nozzles

- PAAXXX Blue RAC X tip for paint
- HDAXXX Brown RAC X tip for spack, heavy coatings
- WAXXXX Wide RAC X tip for big surfaces, 120° angle
- 246215 RAC X guard

### RAC X Tip Extensions

- 287019 25 cm | 287020 40 cm
- 287021 50 cm | 287022 75 cm

### CleanShot™ RAC X Pole Gun

- 287026 90 cm | 287027 180 cm

### Rollers Exterior (complete)

- 6880095 30 cm fixed
- 098084 90-180 cm telescopic
- 098085 45-90 cm telescopic

### Hoses (230 bar)

- 240794 1/4" x 15 m | 240797 3/8" x 15 m
- 223771 1/4" x 30 m | 241275 3/8" x 30 m
- 241272 1/4" x 20 m

### Whips (230 bar)

- 238358 3/16" x 0.9 m | 238959 3/16" x 1.4 m
- 238359 3/16" x 1.8 m

### Hose Connectors

- 156971 1/4" x 1/4" (M) x (M)
- 157350 1/4" x 3/8" (M) x (M)



### Gun, Tip, Hose Kits

- 288491 Contractor gun, 1/4" X 15 m hose, 3/16" x 0.9 m whip, RAC X PAA621 tip, 248 bar
- 289611 TexSpray blue gun, 3/8" X 15 m hose, 1/4" x 0.9 m whip, RAC X 531/427 tip, 276 bar
- 289585 Inline 4-finger plaster gun, 1/2" x 15 m hose, 3/8" x 3.6 m whip, RAC X 643 + WA1239 tip, 280 bar



### ProContractor ProConnect<sup>2</sup> Pump Lowers

- 16X414 GMax II 3900
- 16X419 GMax II 5900
- 16X421 GMax II 5900 HD
- 16X426 GMax II 7900
- 16X427 GMax II 7900 HD



### Additional Accessories

- 287987 90 liter hopper kit
- 289587 Bag roller
- 24M445 Heavy duty container suction kit 40 cm 2" hose with 1" to DIN C clamp connectors.



### Easy Out™ Gun Filters

- 287032 Easy Out gun filter, 60 mesh x 1
- 287033 Easy Out gun filter, 100 mesh x 1
- 287034 Kit: 60 mesh x 1 + 100 mesh x 1



### Easy Out™ Pump Filters

- 244071 30 mesh, grey | 244068 100 mesh, blue
- 244067 60 mesh, black | 244069 200 mesh, red



### Liquids

- 206994 TSL™ 0.25 l
- 253574 Pump Armor™ 1 l
- 245133 Pump Armor 3.8 l

## GMax II ProContractor

### Unpack, plug & spray!

Ready to go, the GMax II ProContractor Series ship complete and ready to spray!  
SmartControl™ 3.0, WatchDog™, FastFlush™, ProConnect 2™, QuikReel™, gun with HandTite™ RAC X™ guard and tips, BlueMax™ II whip hose 0.90 m, BlueMax II hose 30m, TSL™ 0.25 liter, 197193 universal hammer tool, 111733 adjustable wrench and blue tool box.  
Everything completely assembled!

Find this unit at:

## Specifications



	GMAX II 3900 PROCONTRACTOR	GMAX II 5900 PROCONTRACTOR	GMAX II 5900 HD PROCONTRACTOR	GMAX II 7900 PROCONTRACTOR	GMAX II 7900 HD PROCONTRACTOR
Part Numbers:	16W867	16W871	16W882	16W885	16W888
Max. Tip Size:	0.036"	0.043"	0.043"	0.048"	0.048"
Flow - l/min. (gpm)	4.7 (1.25)	6.0 (1.6)	6.0 (1.6)	8.3 (2.2)	8.3 (2.2)
Max. Pressure - bar (PSI)	230 (3300)	230 (3300)	230 (3300)	230 (3300)	230 (3300)
Pump	Paint	Paint	HD Texture	Paint	HD Texture
Weight - kg (lbs)	50 (110)	65 (143)	65 (143)	68.2 (150)	68.2 (150)
Engine Displacement Honda®	120 cc	160 cc	160 cc	200 cc	200 cc
BlueMax™ II Hose	1/4" x 30m	1/4" x 30m	3/8" x 30m	3/8" x 30m	3/8" x 30m
Gun	Contractor	Contractor	HD Texture	Contractor	HD Texture
Tip Standard	PAA517	PAA517	PAA427/HDA531	PAA517	PAA427/HDA531
Rod	CrN	CrN	Chrome	MaxLife	Chrome
Sleeve	Chrome	Chrome	Chrome	MaxLife	MaxLife